READ SAFETY DIRECTIONS BEFORE OPENING





BUDCYT[™]

PLANT GROWTH REGULATOR

FOR THE PROMOTION OF BUD GROWTH ON BLIND APPLE WOOD OF NON-BEARING TREES



Contains: 1g/L Thidiazuron in the form of a ready to use liquid



NET CONTENTS

5L

GBCYT/0422

REGISTERED TO & DISTRIBUTED BY: AgriNova NZ Ltd, 15 Sunlight Grove, PO Box 50-080, Porirua, New Zealand NZ freephone: 0800 447 624 | AUS freephone: 1800 777 068 Email: grochem@grochem.com | Website: grochem.com

BUDCYT™

Budcyt contains Thidiazuron a plant growth regulator for the promotion of bud growth on blind bud sites on non-bearing apple trees. Non-bearing trees being those that will not bear fruit for one or more seasons following application.

CAUTION: Use impermeable gloves when handling. Triple rinse empty containers and dispose of empty containers safely. Avoid contamination of any water supply with the chemical or empty containers. Store in original container, tightly closed, below 23°C and out of reach of children.

FIRST AID: IF SWALLOWED: do NOT induce vomiting. For advice, contact the National Poisons Centre 0800 POISON (0800 764766) or a doctor immediately. IF ON SKIN: If Skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by the National Poison Centre Doctor. IF IN EYES: If splashed in eyes, wash out immediately with water. Hold the eyelids apart and flush the eye continuously with running water. Continue to flush until advised to stop by the National Poisons Centre, or for at least 15 minutes

24-hour Emergency Telephone Number – for advice contact the National Poisons Centre – 0800 POISON (0800 764 766) – or a doctor, immediately. For specialist advice in an emergency only, call 0800 CHEMCALL (24hrs) or 0800 243 6225. In a transport emergency dial 111.

SHELF LIFE: When stored appropriately, this product should show no significant degradation for 2 years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

DIRECTIONS FOR USE

IT IS AN OFFENCE FOR USERS OF THIS PRODUCT TO CAUSE RESIDUES EXCEEDING THE RELEVANT MRL IN THE NEW ZEALAND (MAXIMUM RESIDUES LIMITS OF AGRICULTURAL COMPOUNDS) FOOD STANDARDS.

APPLICATION:

- Shake container gently before use.
- Apply product undiluted.
- · Add no other chemicals.
- Paint the product on the target area with an even coat, using a clean brush.
- Apply to upper and side surfaces of bare wood sections of target branches.

TIMING:

- Application should be made from four weeks before anticipated bud break until bud break on spur sites.
- Ensure sufficient drying time occurs before rain or heavy dew events.
- · Best uptake will occur under warm conditions.

CONDITIONS OF SALE: As no control can be exercised over the manner in which or the conditions under which this product is used, all conditions and warranties expressed or implied, other than those required by statute are excluded. No responsibility will be accepted for any damage or injury whatsoever arising from the storage, handling, application or use of this product.

Budcyt[™] is the trademark of AgriNova NZ Limited. Registered pursuant to the ACVM Act 1997, No P7428. See www. foodsafety. govt.nz for registration conditions.