WARNING KEEP OUT OF REACH OF CHILDREN

BOOST-IT PLUSTM

FOLIAR FEED

FULLY SOLUBLE BALANCED FOLIAR FEED - CHLORIDE FREE



Contains: Nitrogen 24% (incl. Urea 465g/kg), Phosphorus 5.2%, Potassium 8%, Sulphur 5.3%, Magnesium 1.3%, Iron 0.13%, Manganese 0.35%, Zinc 0.20%, Copper 0.07% (as Copper EDTA 4.7g/kg), Boron 0.07% (as Boric Acid 2.7g/kg), Molybdenum 0.001%, Iodine 0.006% as water soluble powders Copper Iron Manganese and Zinc are chelated to ensure rapid plant availability.

PLEASE READ LABEL AND SAFETY DATA SHEET COMPLETELY BEFORE USE. THIS PRODUCT MUST NOT BE USED FOR ANY PURPOSE OR ANY MANNER CONTRARY TO THIS LABEL.

Harmful if swallowed. May cause an allergic skin reaction. Causes serious eye irritation. Avoid breathing dust, mist or spray. Suspected of damaging fertility or unborn child. Harmful to terrestrial vertebrates. Harmful to aquatic life with long lasting effects.

HANDLING ADVICE: Do not eat, drink or smoke while using this product. Wash exposed skin thoroughly after handling. Wash contaminated clothing, before reuse, contaminated work clothing should not be allowed out of the workplace. Wear protective gloves, clothing and eye equipment. Do not handle until all safety precautions have been read and understood. This product MUST NOT be used for any purpose or any manner contrary to this label. If medical advice is needed, have container or label at hand.

FIRST AID: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing, If eye irritation persists: get medical advice/attention. IF SWALLOWED: Rinse mouth. Immediately call a POISON CENTRE doctor. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: get medical advice/attention. Call a POISON CENTRE or Doctor if effects persist or you feel unwell.

24-hour Emergency Telephone Number – For advice contact the National Poisons Centre – 0800 POISON (0800 764 766) – or doctor, immediately. Have product container or label at hand.

For spec<mark>ialist advice in an emergency only, call 0800 CHEMCALL (24h 0800 2436225) For transport emergency dial 111</mark>

STORAGE AND TRANSPORT: Store locked up in a cool dry place away from foodstuffs. Store locked up in a cool dry place. Do not carry on a passenger service vehicle.

SAFETY DATA SHEET: A Safety Data Sheet is available from Grochem or www.grochem.com

DISPOSAL: This product should be disposed of by use in the manner described on the label, or by depositing it in an approved landfill. Dispose of empty packaging by burying in an appropriate landfill.

CONDITIONS OF SALE: As no control can be exercised over the manner in which or the conditions under which this product is used, all conditions and warranties expressed or implied, other than those required by statute are excluded. No responsibility will be accepted for any damage or injury whatsoever arising from the storage, handling, application or use of this product.

DIRECTIONS FOR USE:

Boost-it Plus has been developed as a foliar feed for foliar application to horticultural crops for early and mid season use. It should be used as part of a season long foliar programme and should also be applied before and after periods of stress such as drought, low temperatures, excess rain, etc. It is designed to be absorbed by plant foliage and will not burn or scorch plant growth when applied at recommended rates.

Contains the growth stimulant TRIACONTINOL.

MIXING INSTRUCTIONS

- 1. Add one quarter of the spray water to the tank and begin agitation.
- Either pre-dissolve the powder in 5 times its volume of water or add to the inlet screen of the spray tank and wash Into the spray tank with the remainder of the water.
- Add any trace elements next starting with solids, then dispersions and finally solutions.
- 4. Lastly, add any chemicals.
- 5. Apply immediately. Do not store mixed chemicals. Note: where a product datasheet specifies that the products should be added in a different order than above i.e. copper hydroxide etc, then follow those instructions. If any doubt about compatibility or if unfamiliar chemicals are being used, then a trial mix is recommended.

APPLICATION RATES:

CROP	USE RATE	WATER RATE
Pipfruit, Kiwifruit, Citrus, Avocado, Grapes, Stonefruit		Conventional minimum water rate 100L/ha. Aerial spraying minimum water rate 60L/ha.







Approved Pursuant to the HSNO Act 1996, under the Fertilisers (Subsidiary hazard) group standard. No HSR002571. See www.epa.govt.nz for approval conditions.

